




JIMARK[®]
金陵食品机械
Prime Master[®]



SPIRAL MIXER

和面机

DOUGH DIVIDING MACHINE

面团分割设备

DOUGH CONVEROY SYSTEM

面团输送系统



[WhatsApp]



[Wechat]

广州金陵食品机械有限公司

GUANGZHOU JIMARK FOOD MACHINERY CO.LTD.

面韵天成，匠心永焙

Good mixing, good baking!

ABOUT US

公司简介

广州金康食品机械设备有限公司坐落于美丽的广州自由贸易区—南沙，是一家专业的集自主研发、生产、销售、售后服务能力的综合性烘焙系统集成制造商，在面团搅拌和成型领域，开发设计了立式和面机，翻缸和面机，箭缸和面机，面团举缸机，面团分块输送机等专业面团设备，通过不懈努力成为中国烘焙行业自动化系统集成可靠的配套供应商。

公司自营品牌“JIMARK”、“PrimeMaster”、立足国内市场并远销北美，南美，中东，东南亚，非洲等地区，誉享中外。同时我们根据客户需求为客户提供个性化定制方案，推荐并开发最适合客户发展的产品与服务，使产品结构内、外设计完善，结合实际应用出发，将技术创新灵感与人性化产品设计相结合，严谨铸造，用心服务，期待与您携手共进！


Guangzhou Jimark Food Machinery Co., Ltd. is located in the Guangzhou Free Trade Zone-Nansha. It is a comprehensive baking system integrated manufacturer with independent research and development, producing, selling, and after-sale service capabilities. In the field of mixing and dough moulding, We have vertical dough mixer, bowl-turning dough mixer, bowl removable dough mixer and the PLC full-automatic dough sheeter. We have 32trays rotary oven and 64trays rotary oven serving for the baking system. Bread slicer, cream filling machine for the bread process. Continue working hard to become a reliable supporting supplier of automation system integration in China's baking industry. The company's brands "PrimeMaster", "JIMARK", "UNIONTECH" are exported to North America, South America, the Middle East, Southeast Asia, Africa and other regions on the basis of China market, and are well-known both at home and abroad. At the same time, we provide customers with personalized customized solutions according to customer needs, recommend and develop products and services that are most suitable for customer development, so that the internal and external design of the product structure is perfect, starting from practical applications, and combining technological innovation inspiration with humanized product design. Rigorous casting, dedicated service, look forward to working with you hand in hand!

Spiral Mixer with removable bowl

离缸和面机



双8搅拌器
Double-8 Mixing Arm



单螺旋搅拌器
Single Spiral Mixing Arm

1. 独立控制电箱，隔绝系统干扰，更稳定耐用；
 2. 全系列配备5G触摸屏控制，优化客户搅拌解决方案。多系统界面切换，为客户构建多层次的配方管理方案；
 3. 满足大型生产产量，多批次，多品种，每批次产量80-320公斤；
 4. 独特的卡钳环抱缸体分离式设计，无需孔位对准，开合轻松精准，让使用者实际车间操作轻松省力；
 5. 搅拌桶双向齿轮驱动，使得搅拌更加有力，稳定，坚固，耐用；
 6. 机体采用全不锈钢机体，双液压系统，更稳定，垂直升降更加节省空间，更加灵活方便的满足食品工厂各种运用场景；适用各种不同面团
- 可配备双曲臂搅拌器和螺旋搅拌器可根据客户需求定制。


1. Independent control box, isolated from system interference, more stable and durable.
 2. Equipped with a 5G touch screen, optimizing the customer's mixing solution. Multiple system interface switching, building a multi-level formula management solution for customers.
 3. Match different production capacity, multiple batches, and multiple varieties, with each batch output ranging from 80 to 320 kilograms.
 4. Unique caliper-hugging cylinder separation design, No need for positioning, open and close easily.
 5. Double gear system, mixing more powerful, stable, sturdy, and durable.
 6. Stainless steel body, with a dual hydraulic system, more stable, vertical lifting saves more space, and is more flexible and convenient to meet various application scenarios in food factories; suitable for various types of dough.
- Double curved arm agitators and spiral agitators can be equipped. Customization is available according to customer requirements.

Model 型号	(Vol.) 容量	Max.Batch Capacity 额定和面量	Volt./Freq. 电压/频率 (V/hz)	Power 功率	Dimension 尺寸
JM-80M	200L	75kg	3~380v/50hz	11kw	1750*950*1900mm
JM-160M	308L	125kg	3~380v/50hz	14kw	1800*1000*1900mm
JM-200M	320L	150kg	3~380v/50hz	18kw	1900*1180*1950mm
JM-240M	380L	175kg	3~380v/50hz	18kw	1900*1180*2100mm
JM-320M	408L	250kg	3~380v/50hz	24kw	1950*1300*2000mm

举缸机 Bowl Lifter



JM-120L



JM-200L

120系列举缸机为JIMARK离缸和面机配备，举升高度范围可以根据客户需求定制。

The 120 series bowl lifter is equipped with jimark off cylinder and dough machine, and the lifting height range can be adjusted according to Customer demand customization.

Model 型号	Lift height 举升高度	Voltage 电压	Power 功率	Weight 重量	Dimension 尺寸
JM-120L	1.2m(可定制)	380v/50hz	1.5kw	200kg	1350*1000*1150mm

1. 缸体提升机专门为配备JIMARK离缸和面机配备，满足大型食品工厂面团提升需求；

2. 可根据客户工厂实际情况设计提升方案

1. The bowl lifter is specially equipped with the JIMARK dough mixer to meet the dough lifting needs of large food factories;

2. The lifting scheme can be designed according to the actual situation of the customers.

Model 型号	Lift height 举升高度	Voltage 电压	Power 功率	Weight 重量	Dimension 尺寸
JM-200L	2m(可定制)	380v/50hz	3kw	500kg	1500*1500*2300mm

大面团分割输送机

Big Dough Divider and Conveyor



1. 面团分割机将和面机搅拌好的大面团分割成小块长条面团，输送到分割滚圆机料斗；
2. 三角切刀分割面团，不会破坏面筋；
3. 分割的小块重量约为8-10kg；
4. 面团输送采用料盒提升，区别于传统输送带爬升，输送成功率100%，绝不掉面；
5. 标准机型，无需安装调试，操作简单实用；
6. 可以减少人工和工业自动化升级配套，不仅降低成本，而且大大的提高生产效率。

1. The dough divider cuts the large dough into small pieces of dough strips, conveyor the small dough to the hopper of the divider and rounder.
2. The triangular cutter divides the dough without damaging the gluten.
3. The weight of the divided small pieces is approximately 8-10 kilograms.
4. The dough is conveyed by lifting the material box, which is different from the traditional conveyor belt climbing. The conveying success rate is 100%, and there is no dough drop at all.
5. Standard model, no installation and adjustment required, simple and easy operation.
6. It can reduce labor and be matched with industrial automation upgrades, not only reducing costs but also greatly improving production efficiency.

Model 型号	Volt./Freq. 电压/频率 (V/hz)	Power 功率	Dimension 尺寸
JM-D10	3~380v	3.5kw	2300*1500*2400mm

翻缸和面机 Tilting Spiral Mixer (Full Stainless steel)

全不锈钢智能变频翻缸和面机

Intelligent Frequency conversion Tilting Spiral mixer (Full Stainless steel)

- 1、整机内外全不锈钢，机器美观大方，坚固耐用；
 - 2、PLC触屏控制系统，机器速度可调，而且可以根据客户需求自定义100个以上搅拌配方菜单，让面点从源头上标准生产；
 - 3、独特的面团倾倒功能，面缸升起后，人性化的出面按钮设计，无需人工掏面，更科学，更省心；
 - 4、全系列配备全密封不锈钢安全罩，不仅95%有效防止粉尘飞溅，更贴心的开盖即停设计，安全守护更放心；
 - 5、科学的搅拌系统，配合以各种精铸搅拌器，让搅拌更轻松，面团吸水量大，膨胀率高，面包口感更好，成本更低；
 - 6、配备全钢高精度液压系统，升降更稳定，更安全，独特的升降缓冲设计，让机器在升降中更加稳定扎实。
1. Body inside and outside full stainless steel, beautiful and durable.
2. Equipped with a PLC touch screen control system, Speed is adjustable. Over 100 mixing formulas can be storage, standard the mixing process.
3. Dough get out by auto tilting system, labor save, more scientific and worry-free. stops the machine when the cover is opened, providing greater peace of mind.
5. The scientific mixing system, combined with various precision-cast mixing blades, makes the mixing process easier. The dough has a high water absorption rate and expansion rate, resulting in better bread texture and lower production costs.
6. High-precision hydraulic system, ensuring stable and safe lifting. The unique lifting buffer design makes the machine more stable and solid during lifting.
4. Fully sealed stainless steel safety cover, which effectively prevents 95% of dust from splashing. Additionally, it has a safety feature that



JM-160TS

特点介绍 Features

全不锈钢，美观清洁
(Full Stainless Steel, Beautiful and Clean)

变频节能，5档调速
(Frequency Energy saved, 5 Speeds Option)

触摸屏显，人机和谐
(Touch Screen control, Human-Machine Harmony)

全密封安全罩，有效防尘95%以上
(Full sealed safety cover with over 95% dust protection)

翻缸和面机 Tilting Spiral Mixer (Full Stainless steel)

全不锈钢智能变频翻缸和面机

Intelligent Frequency conversion Tilting Spiral mixer (Full Stainless steel)



吐司面包



汉堡



披萨



牛角面包



包子



馒头



法棒



JM-80TS



JM-120TS

Model 型号	(Vol.) 容量	Max.Batch Capacity 额定和面量	Volt./Freq. 电压/频率 (V/hz)	Power 功率	Dimension 尺寸
JM-80TS	200L	75kg	3~380v/50hz	11kw	1600*1500*1600mm
JM-120TS	260L	100kg	3~380v/50hz	13kw	1600*1500*1680mm
JM-160TS	308L	125kg	3~380v/50hz	14kw	1650*1600*1680mm
JM-200TS	320L	150kg	3~380v/50hz	16kw	1700*1650*1650mm
JM-240TS	380L	175kg	3~380v/50hz	18kw	2000*1230*1680mm

翻缸和面机 Tilting Spiral Mixer (Full Stainless steel)

全不锈钢双速翻缸和面机

Computer Double Speed Tilting Spiral mixer (Full Stainless Steel)

1. 整机内外全不锈钢，机器美观大方，坚固耐用；
2. 整机结构根据现代力学原理精心设计，机械传动更加精密，机器运转更稳定，机器使用更加坚固耐用；
3. 高科技微电脑控制面板融入更加人性化的设计，让操作人员轻松操作使用。快慢速，正反转，自动切换，更省心省时；
4. 科学的搅拌系统，配合以各种精铸搅拌器，让搅拌更轻松，面团吸水量大，膨胀率高，面包口感更好，成本更低
5. 配备全钢高精度液压系统，升降更稳定，更安全，独特的升降缓冲设计，让机器在升降中更加稳定扎实；
6. 更有独特的面团倾倒功能，面缸升起后，人性化的出面按钮设计，无需人工掏面，自动出面，更科学，更省心
7. 全密封安全罩，有效防尘95%以上

1. Body inside and outside full stainless steel, beautiful and durable.
2. The structure of the whole machine is carefully designed according to the principles of modern mechanics, the mechanical transmission is more precise, the machine operation is more stable, more robust and durable;
3. The high-tech microcomputer control panel incorporates a more user-friendly design, allowing operators to easily operate and use. Fast and slow, forward and reverse, automatic switching, more worry-free and time-saving;
4. The scientific mixing system, combined with various precision casting mixers, makes mixing easier, the dough has large water absorption, high expansion rate, better bread taste and lower cost;
5. Equipped with all-steel high-precision hydraulic system, the lifting is more stable and safer, and the unique lifting buffer design makes the machine more stable and solid during lifting;
6. Dough get out by auto tilting system, labor save, more scientific and worry-free.
7. Full sealed safety cover with over 95% dust protection



亚洲款 Aisa Type
JM-160TB



欧款 Europ Type
JM-160TB

特点介绍 Features

内外不锈钢
Internal and external stainless steel

双速双动
Double speed Double motion

全密封安全罩
Fully sealed safety cover

全密封安全罩，有效防尘95%以上
Full sealed safety cover with over 95% dust protection

翻缸和面机 Tilting Spiral Mixer (Full Stainless steel)

全不锈钢双速翻缸和面机

Computer Double Speed Tilting Spiral mixer (Full Stainless Steel)



吐司面包



汉堡



披萨



牛角面包



包子



馒头



法棒



JM-80TB



JM-120TB

Model 型号	(Vol.) 容量	Max.Batch Capacity 额定和面量	Volt./Freq. 电压/频率 (V/hz)	Power 功率	Dimension 尺寸
JM-80TB	200L	75kg	3~380v/50hz	11kw	1600*1500*1600mm
JM-120TB	260L	100kg	3~380v/50hz	13kw	1600*1500*1680mm
JM-160TB	308L	125kg	3~380v/50hz	14kw	1650*1600*1680mm
JM-200TB	320L	150kg	3~380v/50hz	16kw	1700*1650*1650mm
JM-240TB	380L	175kg	3~380v/50hz	18kw	2000*1230*1680mm

翻缸和面机 **Tilting Spiral Mixer (Full Stainless steel)**

全不锈钢立式和面机

Full Stainless steel Spiral Mixer

- | | |
|---|--|
| <ul style="list-style-type: none"> 1. 全不锈钢机身，永不生锈，坚固稳定，美观大方； 2. 全密封安全罩，95%以上有效防止粉尘飞溅； 3. 稳定传动系统，进口皮带，稳定高效； 4. 搅拌均匀，吸水量高，面团口感更好。 | <ul style="list-style-type: none"> 1. Full stainless steel body, never rusts, sturdy and stable, elegant appearance; 2. Fully enclosed safety cover, over 95% effective prevention of dust splashing; 3. Stable transmission system with imported belts, reliable and efficient; 4. Even mixing, high water absorption, resulting in better dough taste. |
|---|--|



JM-60VB



JM-80VB



JM-120VB




JM-160VB

Model 型号	(Vol.) 容量	Max.Batch Capacity 额定和面量	Volt./Freq. 电压/频率 (V/hz)	Power 功率	Dimension 尺寸
JM-60VB	130L	50kg	3~380v/50hz	6kw	1100*750*1200mm
JM-80VB	200L	75kg	3~380v/50hz	11kw	1420*860*1400mm
JM-120VB	260L	100kg	3~380v/50hz	13kw	1420*860*1450mm
JM-160VB	308L	125kg	3~380v/50hz	14kw	1520*970*1450mm
JM-200VB	320L	150kg	3~380v/50hz	16kw	1520*970*1550mm
JM-240VB	380L	175kg	3~380v/50hz	18kw	2000*1020*1450mm

翻缸和面机 Tilting Spiral Mixer Double Speed Tilting Spiral Mixer

双速翻缸和面机



翻缸和面机 翻转

- 1、整机结构根据现代力学原理精心设计，机械传动更加精密，机器运转更稳定，机器使用更加坚固耐用；
- 2、高科技微电脑控制面板融入更加人性化的设计，让操作人员轻松操作使用。快慢速，正反转，自动切换，更省心省时；
- 3、科学的搅拌系统，配合以各种精铸搅拌器，让搅拌更轻松，面团吸水量大，膨胀率高，面包口感更好，成本更低；
- 4、配备全钢高精度液压系统，升降更稳定，更安全，独特的升降缓冲设计，让机器在升降中更加稳定扎实；
- 5、更有独特的面团倾倒功能，面缸升起后，人性化的出面按钮设计，无需人工掏面，自动出面，更科学，更省心。

- 1.The structure of the whole machine is carefully designed according to the principles of modern mechanics, the mechanical transmission is more precise, the machine operation is more stable, more robust and durable;
 2. The high-tech microcomputer control panel incorporates a more user-friendly design, allowing operators to easily operate and use. Fast and slow, forward and reverse, automatic switching, more worry-free and time-saving;
 3. The scientific mixing system, combined with various precision casting mixers, makes mixing easier, the dough has large water absorption, high expansion rate, better bread taste and lower cost;
 4. Equipped with all-steel high-precision hydraulic system, the lifting is more stable and safer, and the unique lifting buffer design makes the machine more stable and solid during lifting;
- Dough get out by auto tilting system, labor save, more scientific and worry-free.

翻缸和面机 Tilting Spiral Mixer



JM-60T



JM-80T

Model 型号	(Vol.) 容量	Max.Batch Capacity 额定和面量	Volt./Freq. 电压/频率 (V/hz)	Power 功率	Dimension 尺寸
JM-60T	130L	50kg	3~380v/50hz	6kw	1300*1400*1300mm
JM-80T	200L	75kg	3~380v/50hz	11kw	1600*1500*1550mm
JM-120T	260L	100kg	3~380v/50hz	13kw	1600*1500*1600mm



JM-120T



JM-160T

Model 型号	(Vol.) 容量	Max.Batch Capacity 额定和面量	Volt./Freq. 电压/频率 (V/hz)	Power 功率	Dimension 尺寸
JM-160T	308L	125kg	3~380v/50hz	14kw	1650*1600*1600mm
JM-200T	320L	150kg	3~380v/50hz	16kw	1700*1650*1650mm
JM-240T	380L	175kg	3~380v/50hz	18kw	2000*1230*1680mm

Vertical Spiral Mixer (Double motor double motion)

立式和面机 (双速双动)

1. 原装进口皮带，比普通皮带韧性增强10倍以上;
2. 纯铜优质电机，几十年使用经验，安全无故障;
3. 机器结构设计合理，搅拌噪音低，耐磨损;
4. 搅拌时间短，吸水量和面筋筋性更强，从而使面包口感更佳

1. Original imported belt, 10 times endurance than common belt;
2. Pure copper quality motor, 20 years experience of it, safe and low fault rate;
3. Original imported bearing from Japan, low noise, durable;
4. Water absorbed and wheat gluten are much better than others, get better taste of bread



自动面板 Auto



机械面板 Manual



JM-15V



JM-25V



JM-60V

Model 型号	(Vol.) 容量	Max. Batch Capacity 额定和面量	Volt./Freq. 电压/频率 (V/hz)	Power 功率	Dimension 尺寸
JM-15V	40L	12.5kg	3~380v/50hz	2.5kw	500*850*1050mm
JM-25V	80L	25kg	3~380v/50hz	4kw	1000*600*1100mm
JM-60V	130L	50kg	3~380v/50hz	6kw	1100*750*1200mm
JM-80V	200L	75kg	3~380v/50hz	11kw	1420*860*1380mm



JM-80V



JM-120V



JM-160V

Model 型号	(Vol.) 容量	Max. Batch Capacity 额定和面量	Volt./Freq. 电压/频率 (V/hz)	Power 功率	Dimension 尺寸
JM-120V	260L	100kg	3~380v/50hz	13kw	1420*860*1450mm
JM-160V	308L	125kg	3~380v/50hz	14kw	1500*970*1450mm
JM-200V	320L	150kg	3~380v/50hz	16kw	1520*970*1550mm
JM-240V	380L	175kg	3~380v/50hz	18kw	2000*1020*1450mm

JM-60B变频双球打蛋机

Variable frequency double ball egg beater

- (1) PLC独立控制单元，可编写搅拌程序，搅拌更标准化；
 - (2) 7寸触摸屏可视化操作，人机界面更和谐；
 - (3) 5档速度搭配，更灵活高效；
 - (4) 可移动推车式搅拌缸，全封闭不锈钢安全罩；
 - (5) 全自动提升搅拌桶，双球搅拌；
 - (6) 全不锈钢外壳，更加干净卫生，不生锈。
- (1) PLC control unit with programmable mixing procedures for standardized mixing;
 - (2) 7-inch touch screen for visual operation and a more friendly interface;
 - (3) 5 speed adjustable, much greater flexibility and efficiency;
 - (4) Movable mixing bowl and fully enclosed stainless steel safety cover;
 - (5) Fully automatic lifting mixing bowl with double-ball mixing action;
 - (6) All stainless steel housing for improved cleanliness, hygiene, and rust resistance.



● 变频双球打蛋机 Variable frequency double ball egg beater

Model 型号	(Vol.) 容量	Voltage 电压	Power 功率	Dimension 尺寸
JM-60B	60L	3~380V	3.5kw	1000*700*1600mm

JIMARK® | PrimeMaster® Commercial Spiral Mixer

商用和面机

- 1.全不锈钢搅拌桶，干净卫生
- 2.坚固法兰搅拌钩，牢固不断；
- 3.机械式面板，操作简单，维护费用低；
- 4.体积小，节约空间；
- 5.价格实惠，性价比高。

- 1.Full Stainless steel bowl, Clean and healthy;
- 2.Strong mixing hook, hard and durable;
- 3.Manual Control panel, easy operation, low maintenance
- 4.Small body, save space;
- 5.Economic price, good value.



可加计时器
Timer available



JM-10L



JM-20L



JM-30L



JM-40L

Model 型号	(Vol.) 容量	Max.Batch Capacity 额定和面量	Volt./Freq. 电压/频率 (V/hz)	Power 功率	Dimension 尺寸
JM-10L	10L	4kg	1~220v/50hz	0.75kw	540*280*470mm
JM-20L	20L	8kg	1~220v/50hz	1.5kw	730*430*850mm
JM-30L	30L	10kg	1~220v/50hz	2kw	780*440*860mm
JM-40L	40L	12.5kg	1~220v/50hz	2.5kw	800*500*880mm



JM-50L



JM-60L



JM-130L

Model 型号	(Vol.) 容量	Max.Batch Capacity 额定和面量	Volt./Freq. 电压/频率 (V/hz)	Power 功率	Dimension 尺寸
JM-50L	50L	18kg	1~220v/50hz	3kw	840*570*980mm
JM-60L	60L	25kg	1~220v/50hz	4kw	980*580*1040mm
JM-130L	130L	50kg	3~380/50hz	6kw	1100*720*1240mm



Prime Master®

**和面机、面团分割设备
面团输送设备制造商**



[WhatsApp]



[Wechat]

广州金唛食品机械有限公司

地址：广州南沙大岗镇北流新元街7号

电话：020-84850737

手机：18602734996(微信同步) +86-13926460996

邮箱：info@gzjinmai.com

269770145@qq.com

网址：www.gzjinmai.com

GUANGZHOU JIMARK FOOD MACHINERY CO.LTD.

Adress: No.7 of Xinyuan Street, Beiliu Village, Dagang Town,
Nansha District, Guangzhou,China

Tel: 020-84850737

Whatsapp: +86-18602734996

Wechat:18602734996

Web:www.gzjinmai.com

Mail:info@gzjinmai.com

269770145@qq.com